



[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

SEARCH

## THE ACM DIGITAL LIBRARY

[Feedback](#)

(((query and term and group and type and category and user and datasource)))

Published before December 2004

Terms used:

[query](#) [term](#) [group](#) [type](#) [category](#) [user](#) [datasource](#)

Found  
4 of  
250,175

Sort  
results  
by

relevance

Display  
results

expanded form



[Save](#) Refine

[results](#)

to a

[Binder](#)

☐ Open

results  
in a new  
window

these

results

with

[Advanced](#)

[Search](#)

Try this

search

in [The](#)

[ACM](#)

[Guide](#)

Results 1 - 4 of 4

### 1 [A domain model-driven approach for producing user interfaces to multi-platform information systems](#)



Julien Stocq, Jean Vanderdonckt

May AVI '04: Proceedings of the working conference on Advanced visual interfaces 2004

**Publisher:** ACM

Full text available: [pdf\(365.83 KB\)](#)

**Additional Information:** [full citation](#), [abstract](#), [references](#), [index terms](#)

**Bibliometrics:** Downloads (6 Weeks): 7, Downloads (12 Months): 47, Citation Count: 0

User interfaces to information systems can be considered systematic as they consist of two types of tasks performed on classes of a domain model: basic tasks performed on one class at a time (such as insert, delete, modify, sort, list, print) and complex ...

**Keywords:** RAD, code generation, data base, information system, model-driven approach, multi-platform, wizard

## 2 [NiagaraCQ: a scalable continuous query system for Internet databases](#)



Jianjun Chen, David J. DeWitt, Feng Tian, Yuan Wang

May SIGMOD '00: Proceedings of the 2000 ACM SIGMOD international conference  
2000 on Management of data

**Publisher:** ACM

Full text available: [pdf\(165.02](#)



**Additional Information:** [full citation](#), [abstract](#), [references](#), [cited by](#),

[index terms](#)

**Bibliometrics:** Downloads (6 Weeks): 13, Downloads (12 Months): 71, Citation Count: 143

Continuous queries are persistent queries that allow users to receive new results when they become available. While continuous query systems can transform a passive web into an active environment, they need to be able to support millions of queries due ...

## 3 [NiagaraCQ: a scalable continuous query system for Internet databases](#)



Jianjun Chen, David J. DeWitt, Feng Tian, Yuan Wang

June ACM SIGMOD Record, Volume 29 Issue 2  
2000

**Publisher:** ACM

Full text available: [pdf\(165.02](#)



**Additional Information:** [full citation](#), [abstract](#), [references](#), [cited by](#),

[index terms](#)

**Bibliometrics:** Downloads (6 Weeks): 13, Downloads (12 Months): 71, Citation Count: 143

Continuous queries are persistent queries that allow users to receive new results when they become available. While continuous query systems can transform a passive web into an active environment, they need to be able to support millions of queries due ...

## 4 [Defining coverage views to improve functional coverage analysis](#)



Sigal Asaf, Eitan Marcus, Avi Ziv

June DAC '04: Proceedings of the 41st annual conference on Design automation  
2004

**Publisher:** ACM

Full text available: [pdf\(72.49](#)



**Additional Information:** [full citation](#), [abstract](#), [references](#), [cited by](#),

[index terms](#)

**Bibliometrics:** Downloads (6 Weeks): 2, Downloads (12 Months): 42, Citation Count: 3

Coverage analysis is used to monitor the quality of the verification process. Reports provided by coverage tools help users identify areas in the design that have not been adequately tested. Because of their sheer size, the analysis of large coverage ...

**Keyw ords:** coverage analysis, functional verification

---

## Results 1 - 4 of 4

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2008 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)